NH Public Utilities Commission

REC Aggregator Portal

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

NHPUC 20JUN 16an 11:49

Existing Users CLICK HERE
Basic Information
Who is submitting this request? Aggregator
Aggregator Batch Number
KE061516
Are you registered in NH O Yes No
Aggregator name
Knollwood Energy
NH Reg #
Aggregator Email
karenton@knollwoodenergy.com
Other Aggregator name
Other aggregator email address
Facility Name
Facility Owner Name
Linda Michelsen

Facility Owner email
lindamichelsen@myfairpoint.net
Owner Phone
603-747-2600
Facility Address
347 Hill Rd
Facility Town/City
Bath
Facility State
NH
Facility Zip
03740
Is the facility address the same as the owner's mailing address Yes No Mailing Address
Mailing Town/City
Mailing State
Mailing Zip
Primary Contact
Karen Tenneson
Primary Contact
Facility Primary Contact
karenton@knollwoodenergy.com

Other Email Address
Facility Information
Class
Utility
Eversource
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON78587
Date of Initial Operation
05/12/2016
Facility Operator Name, if applicable
Panel Make #1
Q-Cell
Panel Model
Q Pro BFR-63
Panel Quantity
18
Panel Rated Output
260
Other panel make

.

* . . .

Other panel model
More Panel types?
No
O Yes
Panel Make #2
Panel Model
Panel Quantity
Panel Rated Output
Mana Danalé mas 2
More Panel types?
No Yes
Panel Make #3
Panel Model
Panel Quantity
Panel Rated Output
System capacity based on panels
4680
Inverter Make
Solar Edge
Other inverter make

Inverter Quantity
1
Add'l Inverter Quantity
NA
Additional Inverter Make
None
Rated Output - Primary Inverter
3800
Rated Output - Additional Inverter
System capacity based on single inverter make
3800
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
4.15
Revenue Grade Meter Make
Teverine Grade Weter Wake
Revenue Grade GIS Approved Meter
FOCUS
Other revenue-grade GIS-approved meter
Carlot revenue grade ete approved mete.
Was this facility installed directly by the customer (no electrician involved)?
O Yes No
Electrician Name & Number
Megin Ulin 13139M
Other Electrician Name & Number

*

Installation Company
ReVision Energy
Other Installation Company Name
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State
Other Inst. Company Zip
Equipment Vendor Company Name
Independent Monitor Name & Company Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier? • Yes • No
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-7003801_ZvSWYU1C_N5100_Michelsen_PVCertifical

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.

A revenue quality meter (meeting ANSI C-12.1-2008 for installations up to and including 10 kW, or ANSI C12.16 or better for installations greater than 10kW up to 1 mW) is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-168-7003801_yRKHT3Ok_Linda_Michelsen_contract_part_3

Please attach additional document here

Kon Jon

https://fs30.formsite.com/jan1947/files/f-5-173-7003801_LH3hxbcH_N5100_Michelsen_PV_-_Process

Aggregator statement of accuracy

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Print Name

Karen Tonnesen

Date Signed

06/15/2016

EVERSOURCE - NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA Exhibit B - Certificate of Completion for Simplified Process Interconnections

	owner-installed	
Customer or Company Name (print): Linda M	licheisen	
Contact Person, if Company:		
Mailing Address: 347 Hill Rd		
	State: NH	Zip Code 03740
	(Evening):	
Facsimile Number:	E-Mail Address: linds	amichelsen@myfairpoint.net
Facility Information: ->	Bversou	rce Meter # \$27413913
Address of Facility (if different from above):	() - 12 12 12 12 12 12 12 12 12 12 12 12 12	
City:	State:	Zip Code
Electrical Contractor Contact Information:		
Electrical Contractor's Name (if appropriate) R	eVision Energy, LLC	
Mailing Address: 7 Commercial Drive		
Gity: Brentwood	State NH	Zip Code 03888
Telephone (Daytime): 603-679-1777	(Evêning):	
Facsimile Number:		gue@revisionenergy.com
Ličense number: 13139M		
Date of approval to install Facility granted by the	Company: 1/14/16	
Eversource Application ID number: #N 5100		
Inspection: No TWISTECTIONS		
The system has been installed and inspected in co	ampliance with the local Build	ling/Electrical Code of
	County:	
Signed (Local Electrical Willing Inspector, or att		PERCE TELEPOPERENDE L'ESTADE DE L'ONE DE L'ALTE L'ON LE LE LE LE LES ARRIVALES.
Signature 15		
Name (printed): Greg Golder		Date: 5/12/16
Customer Certification:		
I hereby certify that, to the best of my knowledge		
Completion is true and correct. This system has standards. Also, the initial start-up test required	been installed and shall be ope	erated in compliance with applicable
		e AC disconnect switch (if

As a condition of interconnection you are required to email/send/fax a copy of this form to:

NHDG@eversource.com

Eversource - Distributed Generation (NH) 780 North Commercial Street

P. O. Box 336, Manchester, NH 03105-0330

Pax No.: (603) 634-2924

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.


The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Linda Michelsen
Printed Name of signature owner
Linda Michelsen Linda Michelsen (Jun 8, 2016)
Signature of system owner





Simplified Process Interconnection Application and Service Agreement [submit form via email to; NHDG@eversonree.com]

Eversource Application Project ID#:

Legal Name and Address of Interconne	ecting Custom	er (or. Con	npany name if	appropriate)		
Customer or Company Name (print):			:			
Contact Person, if Company:					-II - FARRICA - 1-	est i es
Mailing Address: 347 Hill Rd					iteratojingstem ir	e digital et
City: Bath	State:	NH		Zip Code:	03740	su spojit
Telephone (Daytime): 603-747-2600	edeler i		Œven)	ing):	BROGRAMOON	
Facsimile Number:		Agail South		lindamichelsen@my	/fairpoint.net	
Alternative Contact Information (e.g	Brithantski g	allation co	ntractor or coor	dinating company, if ar	opropriate):	Marks (
Mailing Address: 7 Commercial Drive						NA .
City: Brentwood	State:	NH	ar filt ar sicessiff	Zip Code:	03833	9827
Telephone (Daytime): 603-679-1777			(Even	ing):		al Tigalor Mari Marata
Facsimile Number:	aseria este da e	a sit sa site		mulin@revisionener	gy,com	
	STANDARD STANDARD		AND THE RESIDENCE OF THE PERSON OF THE PERSO	delikingali, reviews is vess	e Belgistanierkierieten in	
Electrical Contractor Contact Inform	nation (if app	ropriate):				
Electrical Contractor Contact Information Name same as above	nation (if app	ropriate):		ial Arabis (A. Bay	and Zimens	Spires an
Name: same as above	nation (if app	ropriate):				6, become in i
Name: same as above Mailing Address:		ropriate):				
Name: same as above Mailing Address: City:	nation (if app	ropriate):	(Even	Zip Code:		
			(Even	Zip Code:		
Name: same as above Mailing Address: City: Telephone (Daytime): Facsimile Number:	State:		GERLAND CHARROTTERS TO	Zip Code:		
Name: same as above Mailing Address:			GERLAND CHARROTTERS TO	Zip Code:		
Name: same as above Mailing Address: City: Telephone (Daytime): Facsimile Number: Facility Site Information:	State:		GERLAND CHARROTTERS TO	Zip Code:		
Name: same as above Mailing Address:	State:		GERLAND CHARROTTERS TO	Zip Code:		
Name: same as above Mailing Address: City: Telephone (Daytime): Facsimile Number: Facility Site Information: Facility (Site) Address: same as above City:	State:		3-Mail Address	Zip Code:		
Name: same as above Mailing Address:	State:		3-Mail Address	Zip Code: Zip Code:		
Name: same as above Mailing Address: City: Telephone (Daytime): Facsimile Number: Facility Site Information: Facility (Site) Address: same as above City: Electric Service Company: Eversource Account and Meter Number: Please con Number on this application. If the facil	State: State: Accounsult an actuality is to be ins	nt Number: Eversource talled in a r	NH 56163251028 e electric bill an new location, pl	Zip Code: Zip Code: Zip Code: Meter Nun nd enter the correct Acclease provide the Evers	nber: . S27413 count Number at	913 nd Meter quest numb
Name: same as above Mailing Address: City: Telephone (Daytime): Facsimile Number: Facility Site Information: Facility (Site) Address: same as above City: Electric Service Company: Account and Meter Number: Please convumber on this application. If the facility	State: State: Accounsult an actuality is to be ins	nt Number: Eversource talled in a r	NH. 56163251028 se electric bill annew location, pl	Zip Code: Zip Code: Zip Code: Meter Nun nd enter the correct Acc	nber: . S27413 count Number at	913 nd Meter quest numb
Name: same as above Mailing Address:	State: State: Accounsult an actuality is to be ins	nt Number: Eversource talled in a r	NH. 56163251028 se electric bill annew location, pl	Zip Code: Zip Code: Zip Code: Meter Nun nd enter the correct Acclease provide the Evers	nber: . S27413 count Number at	913 and Meter quest numb
Name: same as above Mailing Address:	State: State: Accounsult an actuality is to be ins	nt Number: Eversource talled in a r	NH. 56163251028 se electric bill annew location, pl	Zip Code: Zip Code: Zip Code: Meter Nun nd enter the correct Acclease provide the Evers	nber: . S27413 count Number at	913 nd Meter quest numb
Name: same as above Mailing Address: City: Telephone (Daytime): Facsimile Number: Facility Site Information: Facility (Site) Address: same as above City: Electric Service Company: Account and Meter Number: Please con Number on this application. If the facil	State: State: Accounsult an actuality is to be ins	nt Number: Eversource talled in a r	NH. 56163251028 se electric bill annew location, pl	Zip Code: Zip Code: Zip Code: Meter Nun nd enter the correct Acclease provide the Evers	nber: . S27413 count Number at	913 and Meter nuest numb

EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

Facility Machine Info	rmation:			
Generator/		Model Name &		
Inverter Manufacturer:	Solar Edge	Number: SE3800A-US	Quantity:	1 2
Nameplate Rating: 3.8	8 (kW) .	(kVA) 240 (AC Volts)	Phase: Single	Three
Nameplate Rating: The	Max AC Nameplate rating o	f the individual inverter.		
System Design Capacit	y: 4.15 (kW)	(kVA) Battery Bax	ckup: Yes No	
71 72 7 7	y: The system total of the inv te ratings of all inverters.	erter AC ratings. If there are mu	ltiple inverters installed in the sys	tem, this is the
	ably Fueled, will the accoun	t be Net Metered? Yes	No 🗆	
Prime Mover: Photovo	The state of the state of		urbine Other	
	Wind Hydro	A T A T T T T T T T T T T T T T T T T T	ruel Oil Other	
Inverter-based Genera	ating Facilities:	en garante de Carante (per estados e 1808-1808) a será		
***************************************	A CONTRACTOR OF THE PARTY OF TH		ter Units, Part Puc 906.01 Inverter	Requirements)
the state of the s	1 dated May 2007 or later "	Inverters Converters and Contro	ollers for Use With Independent P	Ower.
			ting equipment. Many manufactur	
submit their equipment	to a Nationally Recognized	l'esting Laboratory (NRTL) that	verifies compliance with UL 1'	741.1. This
		nt and supporting document g the inverter's UL 1741/IEEE	ation. Please include, any docu	mentation
provided by the invert	er manuraciurer describito			
External Manual Disc	onnect Switch:	क पश्चमा (असम्पूर्व) देवेडे	, permetti karlaya kejerekiler Karansa	
An External Manual Di	sconnect Switch shall be inst	alled in accordance with 'Part Pu	c 905 Technical Requirements For	
Interconnections For Fac	cilities, Puc 905.01 Requireme	nts For Disconnect Switches and 9	005.02 Disconnect Switch.'	
Yes No				
Location of External M	anual Disconnect Switch:			
Project Estimated Instal	Apr 2016	There's an Parking as a	May 2016	
Project Estimated Instal	1 Date: 171-510	Project Esumated	In-Service Date: May 2016	r drawet 28 F
Notes and a Contra	and the state of t			
Interconnecting Custo			and the second	
	the best of my knowledge, all no best of my k		this application is true and I agree	to the lerms
	i viruvi fave vi	ections attached hereto.		
Customer Signature:	Sa Hickersen	Title:	and the second second	
			Date:	
			ram must indicate the generator	
returned.	customer service panet ana	ine Eversource meier sockei. A	pplications without such a diagra	ım may be
7(10/1)				V 180
	1	Pon Fluorina and Han Only		
A		For Eversource Use Only		
Approval to Install Fa	117			
			F Simplified Process Interconnecti	ons of this
	ent to any system modification	A .		à.
Are system modification	ns required? Yes No	To be Determined	1	1/1/11
a . b .	March	mi H	SSacrate, 11	115//
Company Signature:	coperate t	Title:	Date: /	1110
Eversource SPIA rev. 11/1	5		1/8 1/2 - Dage 2 055	

EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test:	Yes No 🗆	Date of inspection/Witness Test:	
	, ,		2,42.5

- Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its
 Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc
 900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement,
 easements, rights of way, set back, or other physical contrutruction issues.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).